

FortiGate 4800F Series

FG-4800F, FG-4800F-DC, FG-4801F, and FG-4801F-DC



Highlights

Gartner Magic Quadrant

Leader for both Network Firewalls and SD-WAN.

Security-Driven

Networking FortiOS delivers converged networking and security.

Unparalleled Performance

with Fortinet's patented / SPU / vSPU processors.

Enterprise Security

with consolidated AI / ML-powered FortiGuard Services.

Hyperscale Security

to secure any edge at any scale.

High Performance with Flexibility

The FortiGate 4800F Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 4800F Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 4800F automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

| IPS | NGFW | Threat Protection | Interfaces |
|---------|---------|-------------------|--|
| 87 Gbps | 77 Gbps | 75 Gbps | Multiple 400GE/200GE QSFP-DD, 200GE/100GE/40GE, QSFP56/28, 50GE/25GE/10GE SFP65/28 slots |



Available in



Appliance



Virtual





Cloud



FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.


FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations







Visibility with FOS Application Signatures

FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





FortiGuard Services

Network and File Security

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multi-layered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

Zero-Day Threat Prevention

Zero-day threat prevention entails Fortinet's Al-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

OT Security

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



Secure Any Edge at Any Scale



Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing





Intuitive view and clear insights into network security posture with FortiManager

Centralized Network and Security Management at Scale

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.



Use Cases



Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and selfhealing



HyperScale

- Purpose-built SPUs power FortiOS to consolidate networking and security and deliver ultrascalable Security-Driven Networks
- Unparalleled ultra-high performance offers the industry's highest number of connections and connections per second performance combined with security-enabled performance to safeguard business-critical applications
- Hardware assisted anti-DDoS prevents volumetric attacks and delivers strong security posture






Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection


Datacenter Deployment (NGFW, IPS, Segmentation)






Hardware

FortiGate 4800F Series






Interfaces

- 1. USB Management and Console Port
- 2. 2 × 10GE/GE RJ45 Management Ports
- 3. 4× 50GE/25GE/10GE/GE SFP56/SFP28/SFP+/ SFP High Availability and Aux Slots
- 4. 8× 50GE/25GE/10GE/GE SFP56/SFP28/SFP+/ SFP Slots
- 5. 12× 200GE/100GE/40GE QSFP56/QSFP28/ QSFP+ Slots
- 6. 8× 400GE/200GE/100GE/40GE QSFP-DD/ QSFP56/QSFP28/QSFP+ Slots

Hardware Features



Hyperscale Firewall License

Empower organizations by unlocking further performance boosts with this perpetual license. The Hyperscale Firewall License will enable the hardware acceleration of CGNAT features by utilizing the latest SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

Trusted Platform Module (TPM)

The FortiGate 4800F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

400 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4800F Series provides multiple 400GE/200GE QSFP-DD slots, simplifying network designs without relying on additional devices to bridge desired connectivity.



Specifications

| FORTIGATE | 4800F/4800F-DC 4801F/4801F-DC | | | |
|--|-------------------------------|--|--|--|
| Interfaces and Modules | | | | |
| Hardware Accelerated 400GE/200GE/100GE/40GE QSFP-DD/ QSFP56/QSFP28/QSFP+ Slots | 8 | | | |
| Hardware Accelerated 200GE/100GE/40GE QSFP56/QSFP28/ QSFP+ slots | 12 | | | |
| Hardware Accelerated 50GE/25GE/10GE/ GE SFP56/SFP28/SFP+/SFP slots | 8 | | | |
| Hardware Accelerated 50GE/25GE/10GE/ GE SFP56/SFP28/SFP+/SFP High Availability and Aux Slots | 4 | | | |
| 10GE/GE RJ45 Management Ports | 2 | | | |
| USB Port (3.0) | 1 | | | |
| Console Port | 1 | | | |
| Onboard Storage | — 2× 2 TB SSD | | | |
| Trusted Platform Module (TPM) | Yes | | | |
| Included Transceivers | 2x SFP+ (SR 10 GE) | | | |
| System Performance — Enterprise Traffic N | lix | | | |
| IPS Throughput ² | 87 Gbps | | | |
| NGFW Throughput ^{2, 4} | 77 Gbps | | | |
| Threat Protection Throughput 2,5 | 75 Gbps | | | |
| System Performance and Capacity | | | | |
| IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) | 3.1 / 3.1 / 0.93 Tbps | | | |
| IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) | 3.1 / 3.1 / 0.93 Tbps | | | |
| Firewall Latency (64 byte, UDP) | 3.6 µs | | | |
| Firewall Throughput (Packet per Second) | 1396 Mpps | | | |
| Concurrent Sessions (TCP) | 280 Million / 1.8 Billion * | | | |
| New Sessions/Second (TCP) | 915 000 / 25 Million * | | | |
| Firewall Policies | 200 000 | | | |
| IPsec VPN Throughput (512 byte) 1 | 800 Gbps | | | |
| Gateway-to-Gateway IPsec VPN Tunnels | 40 000 | | | |
| Client-to-Gateway IPsec VPN Tunnels | 200 000 | | | |
| SSL-VPN Throughput ⁶ | 18 Gbps | | | |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) | 30 000 | | | |
| SSL Inspection Throughput (IPS, avg. HTTPS) ³ | 63 Gbps | | | |
| SSL Inspection CPS (IPS, avg. HTTPS) ³ | 60 000 | | | |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ | 30 Million | | | |
| Application Control Throughput (HTTP 64K) ² | 180 Gbps | | | |
| CAPWAP Throughput (HTTP 64K) | 112 Gbps | | | |
| Virtual Domains (Default / Maximum) | 10 / 500 | | | |
| | | | | |

| FORTIGATE | 4800F/4800F-DC | 4801F/4801F-DC | | |
|---|---|-------------------|--|--|
| Maximum Number of FortiSwitches Supported | 300 | | | |
| Maximum Number of FortiAPs (Total / Tunnel) | 8192 / 4096 | | | |
| Maximum Number of FortiTokens | 20 000 | | | |
| High Availability Configurations | Active-Active, Active-Passive, Clustering | | | |
| Dimensions and Power | | | | |
| Height x Width x Length (inches) | 6.89 × 17.13 × 26.10 | | | |
| Height x Width x Length (mm) | 175 × 435 × 663 | | | |
| Weight | 90.83 lbs (41.2 kg) | | | |
| Form Factor (supports EIA/non-EIA standards) | Rack Mount, 4 RU | | | |
| AC Power Supply | 100-240V AC, 50/60 Hz | | | |
| Power Consumption (Average / Maximum) | 1602 W / 1918.2 W | 1622 W / 1938.2 W | | |
| AC Current (Maximum) | 7.99A@240VAC | 8.08A@240VAC | | |
| Heat Dissipation | 6544.9 BTU/h | 6613.14 BTU/h | | |
| DC Power Input | -72V to -40V | | | |
| DC Current (Maximum) | 40.94A@48VDC | | | |
| Redundant Power Supplies | Yes, Hot Swappable, 2+2 | | | |
| Power Supply Efficiency Rating | 80Plus Compliant | | | |
| Fan Tray | Hot Swappable | | | |
| Operating Environment and Certifications | | | | |
| Operating Temperature | 32°F to 104°F (0°C to 40°C) | | | |
| Storage Temperature | -31°F to 158°F (-35°C to 70°C) | | | |
| Humidity | 20% to 90% non-condensing | | | |
| Noise Level | Level 68.9 dBA | | | |
| Forced Airflow | Front to Back | | | |
| Operating Altitude | Up to 7400 ft (2250 m)** | | | |
| Compliance | FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB | | | |
| Certifications | USGv6/IPv6 | | | |

^{*} Requires Hyperscale Firewall License

Note: All performance values are "up to" and vary depending on system configuration.



^{**} Operating at maximum temperature derates 1.5°C per 1000 ft (305 m)

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{^{\}rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{^{\}rm 3}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

 $^{^{\}rm 4}$ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

⁶ Uses RSA-2048 certificate.

Ordering Information

| Product SKU Description FortiGate 4800F FG-4800F 8× 400GE/200GE QSFP-DD slots, 12× 200GE/100GE 50GE/25GE/10GE SFP56/28 slots, 2× 10GE RJ45 Michael And Analysis and | |
|--|--|
| 50GE/25GE/10GE SFP56/28 slots, 2 × 10GE RJ45 Ma | |
| hardware accelerated, and 4 AC power supplies. | lanagement Ports, SPU NP7 and CP9 |
| FortiGate 4800F-DC FG-4800F-DC | |
| FortiGate 4801F FG-4801F 8× 400GE/200GE QSFP-DD slots, 12× 200GE/100GE 50GE/25GE/10GE SFP56/28 slots, 2 × 10GE RJ45 Management and 4 AC | lanagement Ports, SPU NP7 and CP9 |
| FortiGate 4801F-DC FG-4801F-DC | |
| Hyperscale Firewall License LIC-FGT-HYPSC Hyperscale Firewall License for FortiGate FG-4000F acceleration and logging. | Series for hardware session setup |
| Optional Accessories/Spares SKU Description | |
| AC Power Supply SP-FG4000F-PS 2000W AC power supply for 4000F and 6000F series XX power cord. | es, does not include SP-FGPCORC15- |
| AC Power Cord SP-FGPCORC15-XX 6 ft power cord, 15A125V XXX, PSE BLACK ROHS-6, 7000E/F Series | for FG-3900E, 4000F, 6000F and |
| DC Power Supply SP-FG4000F-DC-PS DC power supply for FG-4200F-DC/4201F-DC, FG-4200F-DC/4201F-DC, Comes with 3m D | |
| Fan Tray SP-FG4K6K-FAN Spare Hotswappable Fan Module for FG-420xF/440 |)xF/480xF/6000F. |
| 1 GE SFP LX Transceiver Module FN-TRAN-LX 1 GE SFP LX transceiver module for all systems with | SFP and SFP/SFP+ slots. |
| 1 GE SFP RJ45 Transceiver Module FN-TRAN-GC 1 GE SFP RJ45 transceiver module for all systems with the system of t | ith SFP and SFP/SFP+ slots. |
| 1 GE SFP SX Transceiver Module FN-TRAN-SX 1 GE SFP SX transceiver module for all systems with | SFP and SFP/SFP+ slots. |
| 10 GE SFP+ RJ45 Transceiver Module FN-TRAN-SFP+GC 10 GE SFP+ RJ45 transceiver module for systems with | ith SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Short Range FN-TRAN-SFP+SR 10 GE SFP+ transceiver module, short range for all states. | systems with SFP+ and SFP/SFP+ |
| 10 GE SFP+ Transceiver Module, Long Range FN-TRAN-SFP+LR 10 GE SFP+ transceiver module, long range for all sy slots | ystems with SFP+ and SFP/SFP+ |
| 10 GE SFP+ Transceiver Module, Extended Range FN-TRAN-SFP+ER 10 GE SFP+ transceiver module, extended range for slots. | all systems with SFP+ and SFP/SFP+ |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft SP-CABLE-ADASFP+ 10 GE SFP+ active direct attach cable, 10m / 32.8 ft SFP+ slots. | for all systems with SFP+ and SFP/ |
| 25 GE SFP28 Transceiver Module, Short Range FN-TRAN-SFP28-SR 25 GE SFP28 transceiver module, short range for all | I systems with SFP28 slots. |
| 25 GE SFP28 Transceiver Module, Long Range FG-TRAN-SFP28-LR 25 GE SFP28 transceiver module, long range for all states and the second se | systems with SFP28 slots. |
| 40 GE QSFP+ Transceiver Module, Short Range FN-TRAN-QSFP+SR 40 GE QSFP+ transceiver module, short range for all | ll systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Short Range BiDi FG-TRAN-QSFP+SR-BIDI 40 GE QSFP+ transceiver module, short range BiDi f | for all systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Long Range FN-TRAN-QSFP+LR 40 GE QSFP+ transceiver module, long range for all | systems with QSFP+ slots. |
| 100 GE QSFP28 Transceivers, Short RangeFN-TRAN-QSFP28-SR100 GE QSFP28 transceivers, 4 channel parallel fiberQSFP28 slots. | er, short range for all systems with |
| 100 GE QSFP28 Transceivers, Long RangeFN-TRAN-QSFP28-LR100 GE QSFP28 transceivers, 4 channel parallel fiber QSFP28 slots. | er, long range for all systems with |
| 100 GE QSFP28 Transceivers, CWDM4 FN-TRAN-QSFP28-CWDM4 100 GE QSFP28 transceivers, LC connectors, 2KM for | or all systems with QSFP28 slots. |
| 400 GE QSFPDD transceiver module, 10km range FN-TRAN-QSFPDD-LR4 400 GE QSFPDD transceiver module, 10km range, SI | GMF, for systems with QSFP-DD slots. |
| 400 GE QSFPDD transceiver module, 2km range FN-TRAN-QSFPDD-FR4 400 GE QSFPDD transceiver module, 2km range, SM | VF, for systems with QSFP-DD slots. |
| 400 GE QSFPDD transceiver module, 4 channel parallel fiberFN-TRAN-QSFPDD-DR4400 GE QSFPDD transceiver module, 4 channel parallel gradeQSFP-DD slots. | allel fiber, short range, for systems with |
| 400 GE QSFPDD transceiver module, 8 channel parallel fiber FN-TRAN-QSFPDD-SR8 400 GE QSFPDD transceiver module, 8 channel parallel fiber QSFP-DD slots. | allel fiber, short range, for systems with |
| | |
| 400 GE QSFPDD passive Direct Attach Cable, 1m FN-CABLE-QSFPDD-DAC-01 400 GE QSFPDD passive Direct Attach Cable, 1m, fo | or systems with QSFP-DD slots. |



Subscriptions

| | | | Bundles | | |
|----------------------------------|---|------------|--------------------------------------|------------------------------|-------------------------------|
| Service Category | Service Offering | A-la-carte | Enterprise Protection | Unified Threat Protection | Advanced Threat Protection |
| FortiGuard Security Services | IPS Service | • | • | • | • |
| | Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | • | • | • | • |
| | URL, DNS & Video Filtering Service | • | • | • | |
| | Anti-Spam | | • | • | |
| | Al-based Inline Malware Prevention Service | • | • | | |
| | Data Loss Prevention Service ¹ | • | • | | |
| | OT Security Service (OT Detection, OT Vulnerability correlation, Virtual Patching, OT Signature / Protocol Decoders) 1 | • | | | |
| | Application Control | | included with FortiCare Subscription | | |
| | CASB SaaS Control | | included with FortiCare Subscription | | |
| SD-WAN and SASE Services | SD-WAN Underlay Bandwidth and Quality Monitoring Service | • | | | |
| | SD-WAN Overlay-as-a-Service for SaaS-based overlay network provisioning | • | | | |
| | SD-WAN Connector for FortiSASE Secure Private Access | • | | | |
| | FortiSASE subscription including cloud management and 10Mbps bandwidth license $^{\mathrm{2}}$ | • | | | |
| NOC and SOC Services | FortiGuard Attack Surface Security Service (IoT Detection, IoT Vulnerability Correlation, and Security Rating Updates) ¹ | • | • | | |
| | FortiConverter Service | • | • | | |
| | Managed FortiGate Service | • | | | |
| | FortiGate Cloud (SMB Logging + Cloud Management) | • | | | |
| | FortiManager Cloud | • | | | |
| | FortiAnalyzer Cloud | • | | | |
| | FortiAnalyzer Cloud with SOCaaS | • | | | |
| | FortiGuard SOCaaS | • | | | |
| Hardware and Software Support | FortiCare Essentials ² | • | | | |
| | FortiCare Premium | • | • | • | • |
| | FortiCare Elite | • | | | |
| Base Services | Internet Service (SaaS) DB Updates | | | | |
| | GeoIP DB Updates | | included with For | tiCare Subscription | |
| | Device/OS Detection Signatures | | included with FortiCare Subscription | | |
| | Trusted Certificate DB Updates | | | | |
| | DDNS (v4/v6) Service | | | | |

^{1.} Full features available when running FortiOS 7.4.1

^{2.} Desktop Models only



FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.




FortiCare Services

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet*, FortiGate*, FortiCare* and FortiGard*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet, and Fortinetials, whether express or implied, except to the extent Fortinet enteries a binding written contract, sipand by Fortinetia Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.